

DumpsReview



Latest Dumps Reviews

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.



My friends highly recommend dumpsreview exam materials for my C4090-454 exams. I used and it is really great. Thanks!!!

Richard



I am quite pleased with your dump. I recommended your C2010-040 test materials to all of my students. Your dump can help them prepare their exam well.

Gary



Really recommend buying this for 1z0-062 exam. I recently passed the exam using dumpsreview exam dumps.

Marico



This is an excellent dump. I used dumpsreview 312-75 exam dump to study for my exam and passed 312-75 exam today. Thank you so much!

Webb

<http://www.dumpsreview.com>

An excellent company provide valid dumps vce & exam review

Exam : **700-070**

Title : Cisco TelePresence IX5000
Series Immersive Solutions

Vendor : Cisco

Version : DEMO

NO.1 How many presentations can be shared in a direct IX5000-to-IX5000 call?

- A. two
- B. three
- C. four
- D. one

Answer: A

Explanation:

On an IX-to-IX point-to-point conference, you can share up to two presentation streams - for example, one presentation content source and one whiteboard source. If hosting a meeting locally with no videoconferencing, you can share up to three presentation streams.

Reference:

http://www.cisco.com/c/en/us/td/docs/telepresence/ix_sw/8_x/admin/guide/ix_8_admin_guide/ix_sw_features.html

NO.2 How can you change presentation display options during a call?

- A. Open the share tray and drag the presentation to the desired location.
- B. Open the share tray and assign display numbers to each presentation.
- C. Open the system settings and reconfigure the display options.
- D. Open the participant list and drag the presentation to the desired location.

Answer: A

Explanation:

The share tray allows you to move and duplicate content to and from the main and presentation displays.

To show the share tray, tap Share.

To add content to the conference, drag the content from the share tray to the presentation area.

To remove content from the conference, drag the content from the presentation area to the share tray.

Reference: http://www.cisco.com/c/dam/en/us/td/docs/telepresence/ix_sw/8_x/user/guide/ix-8-1ug.pdf

NO.3 Which step is required during pre-installation of the IX5000?

- A. Hang ceiling lights.
- B. Install wall panels.
- C. Verify that the room floor is level.
- D. Verify that appropriate licenses, upgrades, and tools are available.

Answer: D

NO.4 Where can you find packet-transmission statistics?

- A. Monitoring > Maintenance
- B. Monitoring > Network Data
- C. Monitoring > Statistics
- D. Monitoring > Call Info

Answer: B

Explanation:

Use the Network Data section to view packet transmission statistics collected from the network. Data is listed in columns labeled as if you were looking at the back of the system. For example, on an IX5000, the labels would indicate statistics from the left, center, and right codecs.

To monitor network statistics:

Step 1

In the Monitoring page, scroll down to Network Data. Your network data appears

Reference:

http://www.cisco.com/c/en/us/td/docs/telepresence/ix_sw/8_x/admin/guide/ix_8_admin_guide/ix_sw_mntr.html

NO.5 What is the maximum image resolution of the 4K UHD camera display in the IX5000?

- A. 1080p60
- B. 1280p60
- C. 1080p30
- D. 720p30

Answer: A

Explanation:

Video resolution

Native support up to 1920 x 1080p, 60 fps

Content frame rate

Content sharing up to 1920 x 1080p resolution, 30fps

<http://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/ix5000-series/datasheetc78-733257.html>