

# DumpsReview



## Latest Dumps Reviews

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.



My friends highly recommend dumpsreview exam materials for my C4090-454 exams. I used and it is really great. Thanks!!!

Richard



I am quite pleased with your dump. I recommended your C2010-040 test materials to all of my students. Your dump can help them prepare their exam well.

Gary



Really recommend buying this for 1z0-062 exam. I recently passed the exam using dumpsreview exam dumps.

Marico



This is an excellent dump. I used dumpsreview 312-75 exam dump to study for my exam and passed 312-75 exam today. Thank you so much!

Webb

<http://www.dumpsreview.com>

An excellent company provide valid dumps vce & exam review

**Exam** : **LX0-104**

**Title** : CompTIA Linux+ [Powered by LPI] - Exam 2

**Vendor** : CompTIA

**Version** : DEMO

**NO.1** What is the purpose of the xhost program?

- A. Grant or revoke access to a X11 session.
- B. Install all packages and video drivers required to run X11 on a host.
- C. Start the X11 server and announce its availability within the local network.
- D. Send informational messages to all users logged into a host using X11.
- E. Display the MOTD and other important information when a user logs in via X11.

**Answer:** A

Explanation

Section: User Interfaces and Desktops

**NO.2** The X11 configuration file xorg.conf is grouped into sections. How is the content of the section SectionName associated with that section?

- A. It is placed in curly brackets as in Section SectionName { ... }.
- B. It is placed between a line containing Section "SectionName" and a line containing EndSection.
- C. It is placed between the tags <Section name="SectionName"> and </Section>
- D. It is placed after the row [SectionName].
- E. It is placed after an initial unindented Section "SectionName" and must be indented by exactly one tab character.

**Answer:** B

Explanation

Section: User Interfaces and Desktops

**NO.3** What is true about the file /etc/localtime?

- A. It is a plain text file containing a string such as Europe/Berlin.
- B. It is created and maintained by the NTP service based on the geolocation of the system's IP address.
- C. It is a symlink to /sys/device/clock/ltime and always contains the current local time.
- D. It is either a symlink to or a copy of a timezone information file such as /usr/share/zoneinfo/Europe/Berlin.

**Answer:** D

Explanation

Section: Administrative Tasks

**NO.4** What is true about the ntpdate command?

- A. It is the primary management command for the NTP time server.
- B. It updates the local system's date (i.e. day, month and year) but not the time (i.e. hours, minutes, seconds).
- C. It queries one or more NTP time servers and adjusts the system time accordingly.
- D. It sends the local system time to one or many remote NTP time servers for redistribution.
- E. It can be used by any user to set the user clock independently of the system clock.

**Answer:** C

Explanation

Section: Essential System Services

**NO.5** Which of the following keywords can be used in the file /etc/nsswitch.conf to specify a source for host name lookups? (Choose TWO correct answers.)

- A. resolv
- B. dns
- C. remote
- D. files
- E. hosts

**Answer:** B D

Explanation

Section: Networking Fundamentals

**NO.6** On a regular users workstation the route command takes a long time before printing out the routing table.

Which of the following errors does that indicate?

- A. The local routing information may be corrupted and must be re-validated using a routing protocol.
- B. One of the routers in the routing table is not available which causes the automatic router failure detection mechanism (ARF-D) to wait for a timeout.
- C. There may accidentally be more than one default router in which case a default router election has to be done on the network in order to choose one router as the default.
- D. DNS resolution may not be working as route by default tries to resolve names of routers and destinations and may run into a timeout.

**Answer:** D

Explanation

Section: Networking Fundamentals

**NO.7** Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

**Answer:** A

Explanation

Section: Networking Fundamentals

**NO.8** What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)

- A. route del default
- B. ifconfig unset default
- C. netstat -r default
- D. ip route del default
- E. sysctl ipv4.default\_gw=0

**Answer:** A D

Explanation

Section: Networking Fundamentals

**NO.9** Which of the following are tasks handled by a display manager like XDM or KDM? (Choose TWO correct answers.)

- A. Start and prepare the desktop environment for the user.
- B. Configure additional devices like new monitors or projectors when they are attached.
- C. Handle the login of a user.
- D. Lock the screen when the user was inactive for a configurable amount of time.
- E. Create an X11 configuration file for the current graphic devices and monitors.

**Answer:** A C

Explanation

Section: User Interfaces and Desktops

**NO.10** Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mountd
- E. xinetd

**Answer:** A

Explanation

Section: Security

**NO.11** What of the following can be done by the command ifconfig? (Choose TWO correct answers.)

- A. Set a network interface active or inactive.
- B. Specify the kernel module to be used with a network interface.
- C. Allow regular users to change the network configuration of a network interface.
- D. Change the netmask used on a network interface.
- E. Specify which network services are available on a network interface.

**Answer:** A D

Explanation

Section: Networking Fundamentals

**NO.12** What is the purpose of the file /etc/profile?

- A. It contains the welcome message that is displayed after login.
- B. It contains security profiles defining which users are allowed to log in.
- C. It contains environment variables that are set when a user logs in.
- D. It contains default application profiles for users that run an application for the first time.

**Answer:** C

Explanation

Section: Shells, Scripting and Data Management

**NO.13** Depending on the host's configuration, which of the following files can be used to turn on and off network services running on a host? (Choose two.)

- A. /etc/profile
- B. /etc/services
- C. /etc/inetd.conf
- D. /etc/xinetd.conf
- E. /etc/host.conf

**Answer:** C D

Explanation

Section: Networking Fundamentals

**NO.14** FILL BLANK

Which file specifies the user accounts that can NOT submit jobs via at or batch? (Provide the full path and filename)

**Answer:**

/etc/at.deny

Section: Administrative Tasks

**NO.15** When the command `echo $$` outputs 12942, what is the meaning of 12942?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the process ID of the last command executed.
- D. It is the process ID of the last command which has been placed in the background.

**Answer:** B

Explanation

Section: Shells, Scripting and Data Management